BIOPOLYMERS

ORIGINAL RESEARCH ON BIOMOLECULES

Volume 34 • 1994

EDITOR

Murray Goodman, *Department of Chemistry, University of California, San Diego, La Jolla, California 92093*

EDITORIAL BOARD

Kenneth J. Breslauer, *Department of Chemistry, Rutgers University, Piscataway, New Jersey, 08855-0939*
C. Allen Bush, *Department of Chemistry and Biochemistry, University of Maryland, Baltimore, Maryland 21228*
David A. Case, *Department of Molecular Biology, MB2, Research Institute of Scripps Clinic, La Jolla, California 92037*
Charles M. Deber, *Biochemistry Department, Hospital for Sick Children, Toronto, Ontario M5G 1X8, Canada*
Ken A. Dill, *Department of Pharmaceutical Chemistry, University of California, San Francisco, San Francisco, California 94143*
Paul J. Hagerman, *Departments of Biochemistry, Biophysics and Genetics, University of Colorado Medical Center, Denver, Colorado 80262*
David R. Kearns, *Department of Chemistry, University of California, San Diego, La Jolla, California 93093*
David E. Wemmer, *Department of Chemistry, University of California, Berkeley, California 94720*

FOUNDING EDITORS

Elkan Blout, *Harvard Medical School, Boston, Massachusetts 02115*
Ephraim (Katchalski) Katzir, *The Weizmann Institute of Science, Rehovot, Israel*

ADVISORY BOARD

E. D. T. Atkins
R. L. Baldwin
E. Benedetti
D. L. Beveridge
V. Bloomfield
J. S. Cohen
D. M. Crothers
D. Eisenberg
E. L. Elson
G. Fasman
L. Gierasch
A. Hagler
W. C. Johnson
R. Kaptein
I. L. Karle
M. Karplus
H. Kessler
P. Kollman
S. Krimm
I. Kuntz, Jr.
W. L. Mattice
J. A. McCammon
T. Miyazawa
L. Moroder
F. Naider
W. Olson
E. Peggion
B. M. Pettitt
M. T. Record, Jr.
G. Rose
S. Sakakibara
J. Schellman
H. A. Scheraga
P. Schiller
J. D. Simon
A. Stone
I. Tinoco
G. J. Thomas, Jr.
G. Van Binst
K. Wüthrich
B. H. Zimm

an Interscience® Publication
published by JOHN WILEY & SONS

©1994 by John Wiley & Sons, Inc.

Biopolymers (ISSN: 0006-3525) Volume 34 is published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158

Copyright © 1994 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, (508) 744-3350, fax (508) 745-9379. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price: (Volume 34, 1994): $1695.00 in US, $1815.00 in Canada and Mexico, $1860.00 outside North America. Personal rate (available only if there is an institutional subscription): $295.00 in US and Canada, $355.00 outside North America. All subscriptions outside US will be sent by air. Subscriptions at the personal rate are available only to individuals. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call 212-850-6645.

Postmaster: Send address changes to *Biopolymers,* Susan Malawski, Director, Subscription Fulfillment and Distribution, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, N.Y. 10158.

Advertising Sales: Inquiries concerning advertising should be forwarded to Roberta Frederick; Advertising Sales, John Wiley & Sons, 605 Third Ave., New York, NY 10158; (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd. Baffins Lane, Chichester, Sussex PO 19 IUD, England.

Reprints: Reprint sales and inquiries should be directed to the customer service department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel: 212-850-8776.

Other Correspondence: Address all other correspondence to: Biopolymers, Publisher, Interscience Division, Professional, Reference, & Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

Manuscripts should be submitted to the Editor, Murray Goodman, Department of Chemistry, B-0343, University of California, San Diego, La Jolla, CA 92093. *Information for contributors* appears in the first and last issue of each volume.

The contents of this journal are indexed in the following: *Applied Mechanics Reviews, Biological Abstracts, Chemical Abstracts, Chemical Titles, CABS-Current Awareness in Biological Sciences, Current Contents/Life Sciences, Current Contents/Engineering Technology and Applied Sciences, Excerpta Medica, Index Medicus,* and *Science Citation Index.*

This journal is printed on acid-free paper

Biopolymers

Author Index to Volume 34

Adlam, G. See Rodger, A., 1583

Adzhubei, I. A. See Makarov, A. A., 1123

Agarwalla, S. See Karle, I. L., 721

Akasaka, T. See Nagano, T., 1303

Alagramam, K. See Krainer, E., 1627

Alemán, C.
A Quantum Mechanical Study of the Intrinsic Helix-Forming Tendency of α-Aminoisobutyric Acid and Dehydroalanine Residues, 841

—; Orozco, M.: PAPQMD/AM1 Parametrization of the Bonded Term of Aromatic Biomolecules, 941

Anderson, J. P.
—; Cappello, J.; Martin, D. C.: Morphology and Primary Crystal Structure of a Silk-Like Protein Polymer Synthesized by Genetically Engineered *Escherichia coli* Bacteria, 1049

Andreasson, B.
—; Nordenskiöld, L.; Eriksson, P.-O.; Rupprecht, A.: Li^+ Counterion Self-Diffusion in Ordered DNA, 1605

Andreu, D. See Fernández, I., 1251; Jiménez, M. A., 647

Anklin, C. See Young, J. K., 1449

Arndt, E. R.
—; Stevens, E. S.: A Conformational Study of Agarose by Vacuum UV CD, 1527

Asaka, N. See Miura, N., 357

Aszódi, A.
—; Taylor, W. R.: Folding Polypeptide α-Carbon Backbones by Distance Geometry Methods, 489

Atanasov, R. D. See Lalov, I. J., 805

Balaram, P. See Karle, I. L., 721

Baldini, G. See Lunelli, L., 747

Bansal, M. See Mohanty, D., 1187

Baron, D.
—; Leseney, A.-M.; Chalaoux, F.-R.; Riand, J.: Conformational Studies of an Undecapeptide Reproducing the Consensus Sequence Around the Cleavage Site of the RXVRG Endoprotease from *Xenopus laevis* Skin, 1419

Barron, L. D. See Ford, S. J., 303

Battistutta, R.
—; Bisello, A.; Mammi, S.; Peggion, E.: Conformation of Retro-Bombolitin I in Aqueous Solution Containing Surfactant Micelles, 1535

Baum, J. See Parkinson, G. N., 403

Baumruk, V.
—; Huo, D.; Dukor, R. K.; Keiderling, T. A.; Lelievre, D.; Brack, A.: Conformational Study of Sequential Lys and Leu Based Polymers and Oligomers Using Vibrational and Electronic CD Spectra, 1115

Becker, J. M. See Gounarides, J. S., 709; Krainer, E., 1627; Reddy, A. P., 679

Behravan, G.
—; Leijon, M.; Sehlstedt, U.; Nordén, B.; Vallberg, H.; Bergman, J.; Gräslund, A.: The Interaction of Ellipticine Derivatives with Nucleic Acids Studied by Optical and ^{1}H-NMR Spectroscopy: Effect of Size of the Heterocyclic Ring System, 599

Belton, P. S.
—; Gil, A. M.: IR and Raman Spectroscopic Studies of the Interaction of Trehalose with Hen Egg White Lysozyme, 957

Benedetti, E.
—; Pedone, C.; Pavone, V.; Di Blasio, B.; Saviano, M.; Fattorusso, R.; Crisma, M.; Formaggio, F.; Bonora, G. M.; Toniolo, C.; Kaczmarek, K.; Redlinski, A. S.; Leplawy, M. T.: Defect Peptide Chemistry: Perturbations in the Structure of a Homopentapeptide Induced by a Guest Residue Interrupting Side-Chain Regularity, 1409

Bergman, J. See Behravan, G., 599

Berman, H. M. See Parkinson, G. N., 403

Beveridge, D. L. See Ptaszek, L. M., 1145

Bhandary, K. K. See Thomas, L. M., 1007

Bielicki, G. See Renou, J. P., 1615

Bisello, A. See Battistutta, R., 1535
Blagbrough, I. S. See Rodger, A., 1583
Blanco, F. J. See Jiménez, M. A., 647
Boelens, R. See Bonvin, A. M. J. J., 39
Bonmatin, J.-M.
—; Genest, M.; Labbé, H.; Ptak, M.: Solution Three-Dimensional Structure of Surfactin: A Cyclic Lipopeptide Studied by ^{1}H-NMR, Distance Geometry, and Molecular Dynamics, 975
Bonnet, M. See Renou, J. P., 1615
Bonora, G. M. See Benedetti, E., 1409
Bonvin, A. M. J. J.
—; Boelens, R.; Kaptein, R.: Direct Nuclear Overhauser Effect Refinement of Crambin from Two-Dimensional NMR Data Using a Slow-Cooling Annealing Protocol, 39
Bouchemal, N. See Cros, S., 1433
Brack, A. See Baumruk, V., 1115
Breslauer, K. J. See Chalikian, T. V., 541
Brower, R. See Vasmatzis, G., 1669
Brown, W. See Castanho, M. A. R. B., 447
Burne, P. M.
—; Sellen, D. B.: A Laser Light Scattering Study of Gellan Gels, 371
Bush, C. A. See Gitti, R., 1327; Mukhopadhyay, C., 11, 21
Bustamante, C.
—; Gurrieri, S.; Pasternack, R. F.; Purrello, R.; Rizzarelli, E.: Interaction of Water-Soluble Porphyrins with Single- and Double-Stranded Polyribonucleotides, 1099
Byrne, P. M. See Tasaki, I., 209

Cann, J. R.
—; Liu, X.; Stewart, J. M.; Gera, L.; Kotovych, G.: A CD and an NMR Study of Multiple Bradykinin Conformations in Aqueous Trifluoroethanol Solutions, 869
Cappello, J. See Anderson, J. P., 1049
Carpenter, M. L. See Rodger, A., 1583
Carreño, C. See Jiménez, M. A., 647
Castanho, M. A. R. B.
—; Brown, W.; Prieto, M. J. E.: Filipin and Its Interaction with Cholesterol in Aqueous Media Studied Using Static and Dynamic Light Scattering, 447
Cerichelli, G. See Torrini, I., 1291
Chalaoux, F.-R. See Baron, D., 1419
Chalikian, T. V.
—; Sarvazyan, A. P.; Funck, T.; Breslauer, K. J.: Partial Molar Volumes, Expansibilities, and Compressibilities of Oligoglycines in Aqueous Solutions at 18–55°C, 541
Chan, S. I. See Evans, J. S., 507, 1359
Chirico, G.
—; Langowski, J.: Kinetics of DNA Supercoiling Studied by Brownian Dynamics Simulation, 415
Chiu, T. See Evans, J. S., 1359
Chou, K.-C.
—; Zhang, C.-T.; Maggiora, G. M.: Solitary Wave Dynamics as a Mechanism for Explaining the Internal Motion During Microtubule Growth, 143
Chou, P.-J. See Riazance-Lawrence, J. H., 1469

Clendenning, J. B.
—; Schurr, J. M.: Circularization of Small DNAs in the Presence of Ethidium: A Theoretical Analysis, 849
Cohen, F. E. See Ma, S., 987
Collins, N.
—; Hruby, V. J.: Prediction of the Conformational Requirements for Binding to the κ-Opioid Receptor and Its Subtypes. I. Novel α-Helical Cyclic Peptides and Their Role in Receptor Selectivity, 1231
Cook, R. See Zhang, S., 663
Crisma, M. See Benedetti, E., 1409
Cros, S.
—; Imberty, A.; Bouchemal, N.; Du Penhoat, C. H.; Perez, S.: Modeling of Arabinofuranose and Arabinan. II. NMR and Conformational Analysis of Arabinobiose and Arabinan, 1433

D'Alagni, M. See Pispisa, B., 435
Delisi, C. See Vasmatzis, G., 1669
Di Blasio, B.
—; Saviano, M.; Fattorusso, R.; Lombardi, A.; Pedone, C.; Valle, V.; Lorenzi, G. P.: A Crystal Structure with Features of an Antiparallel α-Pleated Sheet, 1463
Di Blasio, B. See Benedetti, E., 1409; Pavone, V., 595, 1505; Rossi, F., 273
Di Cera, E.
Thermodynamic Basis of Site-Specific Cooperativity, 1001
Di Cera, E.
—; Keating, S.: Site-Specific Thermodynamics of Ising Networks: A Theorem for Linearly Connected Subsystems, 673

Di Nola, A.
—; Fabrizi, G.; Lamba, D.; Segre, A. L.: Solution Conformation of a Pectic Acid Fragment by ^{1}H-NMR and Molecular Dynamics, 457
Doi, M. See Minagawa, K., 555
Dowd, M. K.
—; Reilly, P. J.; French, A. D.: Relaxed-Residue Conformational Mapping of the Three Linkage Bonds of Isomaltose and Gentiobiose with MM3 (92), 625
Du Penhoat, C. H. See Cros, S., 1433
Du, S. M.
—; Seeman, N. C.: The Construction of a Trefoil Knot from a DNA Branched Junction Motif, 31
Duke, T.
—; Viovy, J.-L.; Semenov, A. N.: Electrophoretic Mobility of DNA in Gels. I. New Biased Reptation Theory Including Fluctuations, 239
Duke, T. See Heller, C., 249
Dukor, R. K. See Baumruk, V., 1115
Durand, P.
—; Trinquier, G.; Sanejouand, Y.-H.: A New Approach for Determining Low-Frequency Normal Modes in Macromolecules, 759

Eriksson, P.-O. See Andreasson, B., 1605
Evans, J. S.
—; Chan, S. I.: Phosphophoryn, a Biomineralization Template Protein: pH-Dependent Protein Folding Experiments, 507
—; Chiu, T.; Chan, S. I.: Phosphophoryn, an "Acidic" Biomineralization Regulatory Protein: Conformational Folding in the Presence of Cd(II), 1359

Fabrizi, G. See Di Nola, A., 457
Fan, P. See Parkinson, G. N., 403
Fasman, G. D. See Hollósi, M., 177; Makarov, A. A., 1123
Fattorusso, R. See Benedetti, E., 1409; Di Blasio, B., 1463; Pavone, V., 1505, 1517, 1595
Feeney, R. E. See Yeh, Y., 1495
Fernández, I.
—; Ubach, J.; Reig, F.; Andreu, D.; Pons, M.: Effect of Succinylation on the Membrane Activity and Conformation of a Short Cecropin A-Melittin Hybrid Peptide, 1251
Fincham, A. G. See Moradian-Oldak, J., 1339
Flippen-Anderson, J. L. See Karle, I. L., 721
Flynn, P. F. See Nuutero, S., 463
Ford, S. J.
—; Wen, Z. Q.; Hecht, L.; Barron, L. D.: Vibrational Raman Optical Activity of Alanyl Peptide Oligomers: A New Perspective on Aqueous Solution Conformation, 303
Formaggio, F. See Benedetti, E., 1409
Fraternali, F.
—; Van Gunsteren, W. F.: Conformational Transitions of a Dipeptide in Water: Effects of Imposed Pathways Using Umbrella Sampling Techniques, 347
Freire, E. See Haynie, D. T., 261
French, A. D. See Dowd, M. K., 625
Fujimoto, B. S. See Nuutero, S., 463
Fujimoto, T. See Mihara, H., 963
Fujiwara, K. See Noda, Y., 217
Fukuno, T. See Noda, Y., 217
Funck, T. See Chalikian, T. V., 541

Gamini, A.
—; Mandel, M.: Physicochemical Properties of Aqueous Xanthan Solutions: Static Light Scattering, 783
Garcia-Ramírez, M.
—; Subirana, J. A.: Condensation of DNA by Basic Proteins Does Not Depend on Protein Composition, 285
Gatellier, P. See Renou, J. P., 1615
Gavuzzo, E. See Torrini, I., 1, 1291
Genest, M. See Bonmatin, J.-M., 975
Gera, L. See Cann, J. R., 869
Gibson, K. D. See Zagari, A., 51
Gil, A. M. See Belton, P. S., 957
Gitti, R.
—; Long, G.; Bush, C. A.: Measurement of Long-Range2 ^{13}C-^{1}H Coupling Constants of 95% Uniformly ^{13}C-Labeled Polysaccharide from *Streptococcus mitis* J22, 1327
Goodman, M. See Videen, J. S., 171
Goudreau, N.
—; Weng, J. H.; Roques, B. P.: Conformational Analysis of CCK-B Agonists Using ^{1}H-NMR and Restrained Molecular Dynamics: Comparison of Biologically Active Boc-

Trp-(N-Me)Nle-Asp-Phe-NH_2 and Inactive Boc-Trp-(N-Me)Phe-Asp-Phe-NH_2, 155
Gounarides, J. S.
—; Xue, C.-B.; Becker, J. M.; Naider, F.: NMR Investigation of CYCLO^{7,10}-[C^7,X^9,C^{10},Nle^{12}] Analogues of the α-Factor from *Saccharomyces cerevisiae*, 709
Gowda, D. C. See Urry, D. W., 889
Gräslund, A. See Behravan, G., 599
Greenberg, J. P. See Schlick, T., 565
Gurrieri, S. See Bustamante, C., 1099

Hagler, A. T. See Meirovitch, H., 815
Hamashin, V. T. See Ostresh, J. M., 1681
Han, S. J. See Kim, Y. J., 1037
Hao, M.-H.
—; Scheraga, H. A.: Analyzing the Normal Mode Dynamics of Macromolecules by the Component Synthesis Method: Residue Clustering and Multiple-Component Approach, 321
Harris, R. D. See Urry, D. W., 889
Harvey, S. C. See Rudnicki, W. R., 383
Haynie, D. T.
—; Freire, E.: Thermodynamic Strategies for Stabilizing Intermediate States of Proteins, 261
Hecht, L. See Ford, S. J., 303
Heller, C.
—; Duke, T.; Viovy, J. L.: Electrophoretic Mobility of DNA in Gels. II. Systematic Experimental Study in Agarose Gels, 249
Hernández, V. See Navarrete, J. T. L., 1065
Herranz, J. See Jiménez, M. A., 647
Hicks, R. P. See Young, J. K., 611, 1449
Hodges, R. S. See McInnes, C., 1221
Hollósi, M.
—; Majer, ZS.; Rónai, A. Z.; Magyar, A.; Medzihradszky, K.; Holly, S.; Perczel, A.; Fasman, G. D.: CD and Fourier Transform IR Spectroscopic Studies of Peptides. II. Detection of β-Turns in Linear Peptides, 177
Holly, S. See Hollósi, M., 177
Holtzer, A.
Does Flory–Huggins Theory Help in Interpreting Solute Partitioning Experiments? 315
Holtzer, A. See Wrabl, J., 1659
Holtzer, M. E. See Wrabl, J., 1659
Homans, S. W. See Weller, C. T., 1155
Honda, S. See Morii, H., 481
Horie, K. See Torii, T., 101
Houghten, R. A. See Ostresh, J. M., 1681
Hruby, V. J. See Collins, N., 1231
Hsu, V. L. See Videen, J. S., 171
Huo, D. See Baumruk, V., 1115
Huston, S. E.
—; Marshall, G. R.: $\alpha/3_{10}$-Helix Transitions in α-Methylalanine Homopeptides: Conformational Transition Pathway and Potential of Mean Force, 75

Imada, K. See Yui, T., 203
Imberty, A. See Cros, S., 1433
Improta, S.
—; Pastore, A.; Mammi, S.; Peggion, E.: Conformation and Molecular Dynamics Calculations on Uteroglobin Fragment 18–47, 773
Isernia, C. See Pavone, V., 1505, 1517

Janda, L. See Zhao, M., 61
Jayaram, B. See Rajasekaran, E., 443
Jiménez, M. A.
—; Carreño, C.; Andreu, D.; Blanco, F. J.; Herranz, J.; Rico, M.; Nieto, J. L.: Helix Formation by the Phospholipase A_2 38-59 Fragment: Influence of Chain Shortening and Dimerization Monitored by NMR Chemical Shifts, 647
Jing, N. See Urry, D. W., 889
Johnson, W. C., Jr. See Riazance-Lawrence, J. H., 1469; Toumadje, A., 969; Vorlíčková, M., 299

Kaczmarek, K. See Benedetti, E., 1409
Kang, H. See Riazance-Lawrence, J. H., 1469
Kang, Y. K. See Kim, Y. J., 1037
Kanuka, S. See Nagata, Y., 701
Kapp, U. See Langowski, J., 639
Kaptein, R. See Bonvin, A. M. J. J., 39
Karle, I. L.
—; Flippen-Anderson, J. L.; Agarwalla, S.; Balaram, P.: Conformation of the Flexible Bent Helix of Leu^1-Zervamicin in Crystal C and a Possible Gating Action for Ion Passage, 721
Kay, C. M. See McInnes, C., 1221
Keating, S. See Di Cera, E., 673
Keiderling, T. A. See Baumruk, V., 1115

Kessler, H. See Mierke, D. F., 559
Khokhlov, A. R. See Minagawa, K., 555
Kim, S. C. See Kim, Y. J., 1037
Kim, Y. J.
—; Han, S. J.; Kim, S. C.; Kang, Y. K.: Conformation and Sweet Tastes of L-Aspartyl Dipeptide Methyl Esters, 1037
Kinoshita, T. See Nagata, Y., 701
Kitamura, S. See Yui, T., 203
Klenin, K. See Langowski, J., 639
Kobayashi, H. See Yui, T., 203
Kobayashi, Y. See Mihara, H., 963
Koerber, S. C. See Meirovitch, H., 815
Kohn, J. See Parkinson, G. N., 403
Konishi, Y. See Ning, Q., 1125
Konno, M. See Wang, Z.-Y., 737
Korolev, N. I.
—; Vlasov, A. P.; Kuznetsov, I. A.: Thermal Denaturation of Na- and Li-DNA in Salt-Free Solutions, 1275
Kotovych, G. See Cann, J. R., 869
Krainer, E.
—; Stark, R. E.; Naider, F.; Alagramam, K.; Becker, J. M.: Direct Observation of Cell Wall Glucans in Whole Cells of *Saccharomyces cerevisiae* by Magic-Angle Spinning ^{13}C-NMR, 1627
Krimm, S. See Qian, W., 1377
Krishnan, R.
—; Seshadri, T. P.: Crystal Structure of Guanylyl-2′,5′-Cytidine Dihydrate: An Analogue of msDNA-RNA Junction in *Stigmatella aurantiaca*, 1637
Kunkel, D. D. See Thiel, B. L., 1089
Kuwata, S. See Pavone, V., 1595
Kuznetsov, I. A. See Korolev, N. I., 1275
Kypr, J. See Vorlícková, M., 299

Labbé, H. See Bonmatin, J.-M., 975
Lahajnar, G. See Rupprecht, A., 897
Lahiri, A.
Structure and Energetics of Plectonemically Supercoiled DNA (Research Communication), 799
Lai, M. C. See Wang, C. Y., 1027
Lalov, I. J.
—; Atanasov, R. D.: Quadratic Nonlinear Optical Susceptibility of Helical Polymers, 805
Lamba, D. See Di Nola, A., 457
Lamm, G.
—; Wong, L.; Pack, G. R.: Monte Carlo and Poisson–Boltzmann Calculations of the Fraction of Counterions Bound to DNA, 227
Langowski, J.
—; Kapp, U.; Klenin, K.; Vologodskii, A.: Solution Structure and Dynamics of DNA Topoisomers: Dynamic Light Scattering Studies and Monte Carlo Simulations, 639
Langowski, J. See Chirico, G., 415
Lau, E. C. See Moradian-Oldak, J., 1339
Lavalle, N. See Lee, S. A., 1543
Lavery, R. See Stofer, E., 337
Lee, S. A.
—; Vansteenberg, M. L.; Lavalle, N.; Rupprecht, A.; Song, Z.: Electronic and Optical Properties of Wet-Spun Films of Li-and Na-Hyaluronate, 1543
Lee, T. L. See Wang, C. Y., 1027
Lee, Y. H. See Wang, C. Y., 1027
Leijon, M. See Behravan, G., 599
Lelievre, D. See Baumruk, V., 1115
Leplawy, M. T. See Benedetti, E., 1409
Lerner, L. E. See Wright, L. A., 691
Leseney, A.-M. See Baron, D., 1419
Lesyng, B. See Rudnicki, W. R., 383
Lin, S. L. See Norel, R., 933
Lin, T. H. See Wang, C. Y., 1027
Liu, X. See Cann, J. R., 869
Lobachov, V. M. See Makarov, A. A., 1123
Lockshin, C. See Zhang, S., 663
Lombardi, A. See Di Blasio, B., 1463; Pavone, V., 1505, 1517, 1595
Long, G. See Gitti, R., 1327
Lorenzi, G. P. See Di Blasio, B., 1463
Lucente, G. See Torrini, I., 1, 1291
Lunelli, L.
—; Zuliani, P.; Baldini, G.: Evidence of Hemoglobin Dissociation, 747

Ma, S.
—; McGregor, M. J.; Cohen, F. E.; Pallai, P. V.: Conformation of CD4-Derived Cyclic Hexapeptides by NMR and Molecular Dynamics, 987
Maggiora, G. M. See Chou, K.-C., 143
Maglio, O. See Pavone, V., 1505, 1517, 1595
Magyar, A. See Hollósi, M., 177
Maione, A. M. See Rossi, F., 273
Majer, ZS. See Hollósi, M., 177

Makarov, A. A.
—; Adzhubei, I. A.; Protasevich, I. I.; Lobachov, V. M.; Fasman, G. D.: Melting of the Left-handed Helical Conformation of Charged Poly-L-Lysine (Research Communication), 1123
Malovíková, A.
—; Rinaudo, M.; Milas, M.: Comparative Interactions of Magnesium and Calcium Counterions with Polygalacturonic Acid, 1059
Mammi, S. See Battistutta, R., 1535; Improta, S., 773
Mandel, M. See Gamini, A., 783
Marky, N. L.
—; Olson, W. K.: Configurational Statistics of the DNA Duplex: Extended Generator Matrices to Treat the Rotations and Translations of Adjacent Residues, 109
—; Olson, W. K.: Spatial Translational Motions of Base Pairs in DNA Molecules: Application of the Extended Matrix Generator Method, 121
Marshall, G. R. See Huston, S. E., 75
Martin, D. C. See Anderson, J. P., 1049
Mashimo, S. See Miura, N., 357
Matsuzawa, Y. See Minagawa, K., 555
Mazza, F. See Torrini, I., 1, 1291
McConville, M. See Weller, C. T., 1155
McGregor, M. J. See Ma, S., 987
McInnes, C.
—; Kay, C. M.; Hodges, R. S.; Sykes, B. D.: Conformational Differences Between *cis* and *trans* Proline Isomers of a Peptide Antigen Representing the Receptor Binding Domain of *Pseudomonas aeruginosa* as Studied by ^{1}H-NMR, 1221
McKown, R. L. See Yeh, Y., 1495
Medzihradszky, K. See Hollósi, M., 177
Meirovitch, H.
—; Koerber, S. C.; Rivier, J. E.; Hagler, A. T.: Computer Simulation of the Free Energy of Peptides with the Local States Method: Analogues of Gonadotropin Releasing Hormone in the Random Coil and Stable States, 815
Mierke, D. F.
—; Scheek, R. M.; Kessler, H.: Coupling Constants as Restraints in Ensemble Distance Driven Dynamics (Research Communication), 559
Mihara, H.
—; Tomizaki, K.-Y.; Nishino, N. A.; Fujimoto, T.; Tamaoki, H.; Kobayashi, Y.: Design, Synthesis, and Conformation of a Model Peptide of Endothelin with Cystine-Stabilized α-Helix Motif, 963
Milas, M. See Malovíková, A., 1059
Miles, H. T. See Raghunathan, G., 1573
Miller, K. E. See Mukhopadhyay, C., 21
Minagawa, K.
—; Matsuzawa, Y.; Yoshikawa, K.; Khokhlov, A. R.; Doi, M.: Direct Observation of the Coil–Globule Transition in DNA Molecules (Research Communication), 555
Mitra, S. N.
—; Subramanian, E.: Observation of a Sterically Unfavorable Side-Chain Conformation in a Leucyl Residue: Crystal and Molecular Structure of L-Leucyl-L-Leucine • DMSO Solvate, 1139
Miura, N.
—; Asaka, N.; Shinyashiki, N.; Mashimo, S.: Microwave Dielectric Study on Bound Water of Globule Proteins in Aqueous Solution, 357
Mohanty, D.
—; Bansal, M.: Conformational Polymorphism in Telomeric Structures: Loop Orientation and Interloop Pairing in $d(G_4T_nG_4)$, 1187
Monaco, H. L. See Schievano, E., 879
Moradian-Oldak, J.
—; Simmer, J. P.; Lau, E. C.; Sarte, P. E.; Slavkin, H. C.; Fincham, A. G.: Detection of Monodisperse Aggregates of a Recombinant Amelogenin by Dynamic Light Scattering, 1339
Mori, H. See Nagano, T., 293
Morii, H.
—; Honda, S.; Ohashi, S.; Uedaira, H.: α-Helical Assembly of Biologically Active Peptides and Designed Helix Bundle Protein, 481
Moroder, L. See Musiol, H.-J., 1553; Siedler, F., 1563
Mukhopadhyay, C.
—; Bush, C. A.: Molecular Dynamics Simulation of Oligosaccharides Containing N-Acetyl Neuraminic Acid, 11
—; Miller, K. E.; Bush, C. A.: Conformation of the Oligosaccharide Receptor for E-Selectin, 21
Musiol, H.-J.
—; Siedler, F.; Quarzago, D.; Moroder, L.: Redox-Active

Bis-Cysteinyl Peptides. I. Synthesis of Cyclic Cystinyl Peptides by Conventional Methods in Solution and on Solid Supports, 1553

Nagano, T.
—; Akasaka, T.; Nishinari, K.: Dynamic Viscoelastic Properties of Glycinin and β-Conglycinin Gels from Soybeans, 1303
—; Mori, H.; Nishinari, K.: Rheological Properties and Conformational States of β-Conglycinin Gels at Acidic pH, 293
Nagata, Y.
—; Kanuka, S.; Kinoshita, T.; Takizawa, A.; Tsujita, Y.; Yoshimizu, H.: Copper Ion Complex Formation of Polypeptide Containing Side-Chain Pyridyl Groups, 701
Naider, F. See Gounarides, J. S., 709; Krainer, E., 1627; Reddy, A. P., 679
Narula, P. See Sharma, P., 1243
Nastri, F. See Pavone, V., 1505, 1517, 1595
Navarrete, J. T. L.
—; Hernández, V.; Ramírez, F. J.: IR and Raman Spectra of L-Aspartic Acid and Isotopic Derivatives, 1065
Némethy, G. See Zagari, A., 51
Nguyen, J. See Zhao, M., 61
Ni, F. See Ning, Q., 1125
Nieto, J. L. See Jiménez, M. A., 647
Ning, Q.
—; Ripoll, D. R.; Szewczuk, Z.; Konishi, Y.; Ni, F.: Thrombin-Bound Conformation of a Cyclic Anticoagulant Peptide Using Transferred Nuclear Overhauser Effect (NOE), Distance Geometry, and NOE Simulations, 1125
Nishinari, K. See Nagano, T., 293, 1303
Nishino, N. A. See Mihara, H., 963
Noda, Y.
—; Fujiwara, K.; Yamamoto, K.; Fukuno, T.; Segawa, S.-I.: Specificity of Trypsin Digestion and Conformational Flexibility at Different Sites of Unfolded Lysozyme, 217
Nordén, B. See Behravan, G., 599
Nordenskiöld, L. See Andreasson, B., 1605; Rupprecht, A., 897
Norel, R.
—; Lin, S. L.; Wolfson, H. J.; Nussinov, R.: Shape Complementarity at Protein–Protein Interfaces, 933
Nussinov, R. See Norel, R., 933
Nuutero, S.
—; Fujimoto, B. S.; Flynn, P. F.; Reid, B. R.; Ribeiro, N. S.; Schurr, J. M.: The Amplitude of Local Angular Motion of Purines in DNA in Solution, 463

Odell, J. A.
—; Taylor, M. A.: Dynamics and Thermomechanical Stability of DNA in Solution, 1483
Ohashi, S. See Morii, H., 481
Okamoto, Y.
Dependence on the Dielectric Model and pH in a Synthetic Helical Peptide Studied by Monte Carlo Simulated Annealing, 529
Olson, W. K. See Marky, N. L., 109, 121; Schlick, T., 565
Omote, Y. See Pavone, V., 1595
Orozco, M. See Alemán, C., 941
Ostresh, J. M.
—; Winkle, J. H.; Hamashin, V. T.; Houghten, R. A.: Peptide Libraries: Determination of Relative Reaction Rates of Protected Amino Acids in Competitive Couplings, 1681

Pack, G. R. See Lamm, G., 227
Pallai, P. V. See Ma, S., 987
Palmer, K. A. See Zagari, A., 51
Paolillo, L. See Pavone, V., 1517
Paradisi, M. P. See Torrini, I., 1, 1291
Parker, K. H. See Winlove, C. P., 393
Parker, T. M. See Urry, D. W., 889
Parkinson, G. N.
—; Wu, Y.; Fan, P.; Kohn, J.; Baum, J.; Berman, H. M.: Crystal Structure and NMR Conformation of a Cyclic Pseudotetrapeptide Containing Urethane Backbone Linkages, 403
Pasternack, R. F. See Bustamante, C., 1099
Pastore, A. See Improta, S., 773
Pavone, V.
—; Lombardi, A.; Saviano, M.; Di Blasio, B.; Nastri, F.; Fattorusso, R.; Maglio, O.; Isernia, C.: β-Alanine Containing Cyclic Peptides with Predetermined Turned Structure. V, 1505
—; Lombardi, A.; Saviano, M.; Di Blasio, B.; Nastri, F.; Fattorusso, R.; Zaccaro, L.; Maglio, O.; Yamada, T.; Omote, Y.; Kuwata, S.: Mixed Conformation in $C^{\alpha,\alpha}$-Disubstituted Tripeptides: X-Ray Crystal Structures of Z-Aib-Dph-Gly-OMe and

Bz-Dph-Dph-Gly-OMe, 1595
—; Lombardi, A.; Saviano, M.; Nastri, F.; Fattorusso, R.; Maglio, O.; Isernia, C.; Paolillo, L.; Pedone, C.: β-Alanine Containing Cyclic Peptides with Turned Structure: The "*Pseudo* Type II β-Turn." VI, 1517
Pavone, V. See Benedetti, E., 1409
Pedone, C. See Benedetti, E., 1409; Di Blasio, B., 1463; Pavone, V., 1517; Rossi, F., 273
Peggion, E. See Battistutta, R., 1535; Improta, S., 773; Schievano, E., 879
Peng, S. See Urry, D. W., 889
Perczel, A. See Hollósi, M., 177
Perez, S. See Cros, S., 1433
Peticolas, W. L. See Sclavi, B., 1105
Piškur, J. See Rupprecht, A., 897
Pispisa, B.
—; Venanzi, M.; D'Alagni, M.: Photophysical Behavior of Poly(L-Lysine) Carrying Porphyrin and Naphthyl Chromophores, 435
Pochetti, G. See Torrini, I., 1, 1291
Pons, M. See Fernández, I., 1251
Portoghese, P. S. See Rodgers, J. C., 1311
Powell, J. W. See Sclavi, B., 1105
Prieto, M. J. E. See Castanho, M. A. R. B., 447
Protasevich, I. I. See Makarov, A. A., 1123
Ptak, M. See Bonmatin, J.-M., 975
Ptaszek, L. M.
—; Vijayakumar, S.; Ravishanker, G.; Beveridge, D. L.: Molecular Dynamics Studies of the Human CD4 Protein, 1145
Purrello, R. See Bustamante, C., 1099

Qian, W.
—; Krimm, S.: Vibrational Analysis of Glutathione, 1377
Quarzago, D. See Musiol, H.-J., 1553
Quarzago, D. See Schievano, E., 879; Siedler, F., 1563
Quinn, T. P. See Zhang, M., 1165

Raghunathan, G.
—; Miles, H. T.; Sasisekharan, V.: Parallel Nucleic Acid Helices with Hoogsteen Base Pairing: Symmetry and Structure, 1573
Rajasekaran, E.
—; Jayaram, B.: Counterion Condensation in DNA Systems: The Cylindrical Poisson–Boltzmann Model Revisited, 443
Ramasubbu, N. See Thomas, L. M., 1007
Ramírez, F. J. See Navarrete, J. T. L., 1065
Ravishanker, G. See Ptaszek, L. M., 1145
Reddy, A. P.
—; Tallon, M. A.; Becker, J. M.; Naider, F.: Biophysical Studies on Fragments of the α-Factor Receptor Protein, 679
Redlinski, A. S. See Benedetti, E., 1409
Reese, H. R.
Effects of DNA Charge and Length on the Electrophoretic Mobility of Intercalated DNA, 1349
Reid, B. R. See Nuutero, S., 463
Reig, F. See Fernández, I., 1251
Reilly, P. J. See Dowd, M. K., 625

Remmele, R. L., Jr.
—; Stushnoff, C.: Low-Temperature IR Spectroscopy Reveals Four Stages of Water Loss During Lyophilization of Hen Egg White Lysozyme, 365
Renou, J. P.
—; Bonnet, M.; Bielicki, G.; Rochdi, A.; Gatellier, P.: NMR Study of Collagen-Water Interactions, 1615
Riand, J. See Baron, D., 1419
Riazance-Lawrence, J. H.
—; Kang, H.; Chou, P.-J.; Johnson, W. C., Jr.; Vorlíčková, M.: Flow Linear Dichroism and Fourier Transform IR Spectra Reveal Geometry for X-Form DNA, 1469
Ribeiro, N. S. See Nuutero, S., 463
Rich, A. See Zhang, S., 663
Rico, M. See Jiménez, M. A., 647
Rinaudo, M. See Malovíková, A., 1059
Ripoll, D. R. See Ning, Q., 1125
Rivier, J. E. See Meirovitch, H., 815
Rizzarelli, E. See Bustamante, C., 1099
Rochdi, A. See Renou, J. P., 1615
Rodger, A.
—; Blagbrough, I. S.; Adlam, G.; Carpenter, M. L.: DNA Binding of a Spermine Derivative: Spectroscopic Study of Anthracene-9-Carbonyl-*N'*-Spermine with Poly[d(G-C)·(d(G-C)] and Poly[d(A-T)·d(A-T)], 1583
Rodgers, J. C.
—; Portoghese, P. S.: Molecular Modeling of the Conformational and Sodium Ion Binding

Properties of the Oligosaccharide Component of Ganglioside GM1, 1311
Rónai, A. Z. See Hollósi, M., 177
Roques, B. P. See Goudreau, N., 155
Rossi, F.
—; Saviano, M.; Di Blasio, B.; Zanotti, G.; Maione, A. M.; Tancredi, T.; Pedone, C.: Bioactive Peptides: Solid State, Solution and Molecular Dynamics Studies of a Cyclolinopeptide A-Related Cystinyl Cyclopentapeptide, 273
Rudnicki, W. R.
—; Lesyng, B.; Harvey, S. C.: Lagrangian Molecular Dynamics Using Selected Conformational Degrees of Freedom, with Application to the Pseudorotation Dynamics of Furanose Rings, 383
Rudolph-Böhner, S. See Siedler, F., 1563
Rupprecht, A.
—; Piškur, J.; Schultz, J.; Nordenskiöld, L.; Song, Z.; Lahajnar, G.: Mechanochemical Study of Conformational Transitions and Melting of Li-, Na-, K-, and CsDNA Fibers in Ethanol–Water Solutions, 897
Rupprecht, A. See Andreasson, B., 1605; Lee, S. A., 1543

Saito, S. See Wang, Z.-Y., 737
Sanejouand, Y.-H. See Durand, P., 759
Sankararamakrishnan, R.
—; Sansom, M. S. P.: Kinked Structures of Isolated Nicotinic Receptor M2 Helices: A Molecular Dynamics Study, 1647
Sansom, M. S. P. See Sankararamakrishnan, R., 1647
Sarte, P. E. See Moradian-Oldak, J., 1339
Sarvazyan, A. P. See Chalikian, T. V., 541
Sasisekharan, V. See Raghunathan, G., 1573
Saviano, M. See Benedetti, E., 1409; Di Blasio, B., 1463; Pavone, V., 1505, 1517, 1595; Rossi, F., 273
Savoie, R. See Simard, C., 91
Scheek, R. M. See Mierke, D. F., 559
Schellman, J. A.
The Thermodynamics of Solvent Exchange, 1015
Scheraga, H. A. See Hao, M.-H., 321; Zagari, A., 51
Schievano, E.
—; Quarzago, D.; Spadon, P.; Monaco, H. L.; Zanotti, G.; Peggion, E.: Conformational and Binding Properties of Chicken Liver Basic Fatty Acid Binding Protein in Solution, 879
Schiller, P. W. See Wilkes, B. C., 1213
Schlick, T.
—; Olson, W. K.; Westcott, T.; Greenberg, J. P.: On Higher Buckling Transitions in Supercoiled DNA, 565
Schultz, J. See Rupprecht, A., 897
Schurr, J. M. See Clendenning, J. B., 849; Nuutero, S., 463
Sclavi, B.
—; Peticolas, W. L.; Powell, J. W.: Fractal-like Patterns in DNA Films, B Form at 0% Relative Humidity, and Antiheteronomous DNA: An IR Study, 1105
Seeman, N. C. See Du, S. M., 31
Segawa, S.-I. See Noda, Y., 217
Segre, A. L. See Di Nola, A., 457
Sehlstedt, U. See Behravan, G., 599
Sellen, D. B. See Burne, P. M., 371
Semenov, A. N. See Duke, T., 239
Serianni, A. S. See Wu, J., 1175
Seshadri, T. P. See Krishnan, R., 1637
Sharma, P.
—; Narula, P.; Singh, T. P.: α,β-Dehydro-Amino Acid Residues in the Design of Peptide Structures: Synthesis, Crystal Structure, and Molecular Conformation of Two Homologous Peptides—N-Ac-Dehydro-Phe-L-Leu-OCH_3 and N-Ac-Dehydro-Phe-NorVal-OCH_3, 1243
Shinyashiki, N. See Miura, N., 357
Siedler, F.
—; Quarzago, D.; Rudolph-Böhner, S.; Moroder, L.: Redox-Active Bis-Cysteinyl Peptides. II. Comparative Study on the Sequence-Dependent Tendency for Disulfide Loop Formation, 1563
Siedler, F. See Musiol, H.-J., 1553
Simard, C.
—; Savoie, R.: A Vibrational Spectroscopic Study of the Self-Association of Polyinosinic Acid and Polyguanylic Acid in Aqueous Solution, 91
Simmer, J. P. See Moradian-Oldak, J., 1339
Singh, T. P. See Sharma, P., 1243

Slavkin, H. C. See Moradian-Oldak, J., 1339
Song, Z. See Lee, S. A., 1543; Rupprecht, A., 897
Spadon, P. See Schievano, E., 879
Spisani, S. See Torrini, I., 1, 1291
Stamnes, M. A. See Videen, J. S., 171
Starikov, E. B.
Three-Dimensional Hartree–Fock Crystal-Orbital Calculation on Crystalline Diprotonated Deoxycytidine-5′-Monophosphate Monohydrate: Toward Rationalizing Nucleic Acid Semiconductivity, 921
Stark, R. E. See Krainer, E., 1627
Stellwagen, J.
—; Stellwagen, N. C.: Transient Electric Birefringence of Agarose Gels. I. Unidirectional Electric Fields, 187
—; Stellwagen, N. C.: Transient Electric Birefringence of Agarose Gels. II. Reversing electric Fields and Comparison with Other Polymer Gels, 1259
Stellwagen, N. C. See Stellwagen, J., 187, 1259
Stevens, E. S.
The Potential Energy Surface of Methyl-2-*O*-(α-D-Mannopyranosyl)-α-D-Mannopyranoside in Aqueous Solution: Conclusions Derived from Optical Rotation, 1403
Stevens, E. S.
The Potential Energy Surface of Methyl-3-*O*-(α-D-Mannopyranosyl)-α-D-Mannopyranoside in Aqueous Solution: Conclusions Derived from Optical Rotation, 1395
Stevens, E. S. See Arndt, E. R., 1527
Stewart, J. M. See Cann, J. R., 869
Stofer, E.
—; Lavery, R.: Measuring the Geometry of DNA Grooves, 337
Strekowski, L. See Zhao, M., 61
Stushnoff, C. See Remmele, R. L., Jr., 365
Subirana, J. A. See Garcia-Ramírez, M., 285
Subramanian, E. See Mitra, S. N., 1139
Sykes, B. D. See McInnes, C., 1221
Szewczuk, Z. See Ning, Q., 1125

Takizawa, A. See Nagata, Y., 701
Tallon, M. A. See Reddy, A. P., 679
Tamaoki, H. See Mihara, H., 963
Tancredi, T. See Rossi, F., 273
Tasaki, I.
—; Byrne, P. M.: Discontinuous Volume Transitions Induced by Calcium-Sodium Ion Exchange in Anionic Gels and Their Neurobiological Implications, 209
Taylor, M. A. See Odell, J. A., 1483
Taylor, W. R. See Aszódi, A., 489
Tezuka, Y.
Nuclear Overhauser Effect Spectroscopy Detection of the Specific Interaction Between Substituents in Cellulose and Amylose Triacetates, 1477
Thiel, B. L.
—; Kunkel, D. D.; Viney, C.: Physical and Chemical Microstructure of Spider Dragline: A Study by Analytical Transmission Electron Microscopy, 1089
Thomas, L. M.
—; Ramasubbu, N.; Bhandary, K. K.: Crystal Structure of cyclo(Pro-Gly)$_3$: Li Complex: A Model for Ion Transport by cyclo(Pro-Gly)$_3$, 1007
Tomizaki, K.-Y. See Mihara, H., 963
Toniolo, C. See Benedetti, E., 1409
Torii, T.
—; Yamashita, T.; Horie, K.: Change in Mobility of Side Chains Due to Neutralization of Charged Poly(L-Lysine) with Dansyl Group, 101
Torrini, I.
—; Zecchini, G. P.; Paradisi, M. P.; Lucente, G.; Gavuzzo, E.; Mazza, F.; Pochetti, G.; Traniello, S.; Spisani, S.: Modified Chemotactic Peptides: Synthesis, Crystal Conformation, and Activity of For-Hse(Me)-Leu-Phe-OMe, 1
—; Zecchini, G. P.; Paradisi, M. P.; Lucente, G.; Gavuzzo, E.; Mazza, F.; Pochetti, G.; Traniello, S.; Spisani, S.; Cerichelli, G.: Modified Chemotactic Peptides: Synthesis, Conformation, and Biological Activity of For-Thp-Leu-Δ^zPhe-OMe, 1291
Toumadje, A.
—; Johnson, W. C., Jr.: A CD Study of the α-Helix Nucleation Hypothesis, 969
Traniello, S. See Torrini, I., 1, 1291
Trinquier, G. See Durand, P., 759
Tsujita, Y. See Nagata, Y., 701

Ubach, J. See Fernández, I., 1251
Uedaira, H. See Morii, H., 481

Urry, D. W.
—; Gowda, D. C.; Peng, S.; Parker, T. M.; Jing, N.; Harris, R. D.: Nanometric Design of Extraordinary Hydrophobic-Induced pKa Shifts for Aspartic Acid: Relevance to Protein Mechanisms, 889

Vallberg, H. See Behravan, G., 599
Valle, V. See Di Blasio, B., 1463
Van Gunsteren, W. F. See Fraternali, F., 347
Vansteenberg, M. L. See Lee, S. A., 1543
Vasmatzis, G.
—; Brower, R.; Delisi, C.: Predicting Immunoglobulin-Like Hypervariable Loops, 1669
Venable, R. M. See Widmalm, G., 1079
Venanzi, M. See Pispisa, B., 435
Videen, J. S.
—; Stamnes, M. A.; Hsu, V. L.; Goodman, M.: Thermodynamics of Cyclophilin Catalyzed Peptidyl-Prolyl Isomerization by NMR Spectroscopy, 171
Vijayakumar, S. See Ptaszek, L. M., 1145
Viney, C. See Thiel, B. L., 1089
Viovy, J.-L. See Duke, T., 239; Heller, C., 249
Vlasov, A. P. See Korolev, N. I., 1275
Vologodskii, A. See Langowski, J., 639
Vorlícková, M.
—; Johnson, W. C., Jr.; Kypr, J.: Vacuum-UV CD Spectrum of the X-Form of Double-Stranded Poly(dA-dT) (Research Communication), 299
Vorlíčková, M. See Riazance-Lawrence, J. H., 1469

Wang, C. Y.
—; Yang, C. F.; Lai, M. C.; Lee, Y. H.; Lee, T. L.; Lin, T. H.: Molecular Dynamics Simulation of a Leucine Zipper Motif Predicted for the Integrase of Human Immunodeficiency Virus Type I, 1027
Wang, Z.-Y.
—; Zhang, Q.-Z.; Konno, M.; Saito, S.: Sol–Gel Transition of Alginate Solution by the Addition of Various Divalent Cations: A Rheological Study, 737
Warren, G. J. See Yeh, Y., 1495
Weller, C. T.
—; McConville, M.; Homans, S. W.: Solution Structure and Dynamics of a Glycoinositol Phospholipid (GIPL-6) from *Leishmania major*, 1155
Wen, Z. Q. See Ford, S. J., 303
Weng, J. H. See Goudreau, N., 155
Westcott, T. See Schlick, T., 565
Widmalm, G.
—; Venable, R. M.: Molecular Dynamics Simulation and NMR Study of a Blood Group H Trisaccharide, 1079
Wilkes, B. C.
—; Schiller, P. W.: Theoretical Conformational Analysis of the Opioid δ Antagonist H-Tyr-Tic-Phe-OH and the μ Agonist H-Tyr-D-Tic-Phe-NH_2, 1213
Wilson, W. D. See Zhao, M., 61
Winkle, J. H. See Ostresh, J. M., 1681
Winlove, C. P.
—; Parker, K. H.: Microcalorimetric Investigations of the Interactions of Small Ions with Arterial Elastin, 393
Wolfson, H. J. See Norel, R., 933
Wong, L. See Lamm, G., 227
Wong, T. C. See Zhang, M., 1165
Wrabl, J.
—; Holtzer, M. E.; Holtzer, A.: Thermal Unfolding Equilibria in Homodimeric Chicken Gizzard Tropomyosin Coiled Coils, 1659
Wright, L. A.
—; Lerner, L. E.: Magnesium–DNA Interactions from Interpretation of ^{25}Mg-NMR Relaxation Rates: Field and Coion Dependence, 691
Wu, J.
—; Serianni, A. S.: ^{13}C-Labeled Oligodeoxyribonucleotides: A Solution Study of a CCAAT-Containing Sequence at the Nuclear Factor I Recognition Site of Human Adenovirus, 1175
Wu, Y. See Parkinson, G. N., 403

Xue, C.-B. See Gounarides, J. S., 709

Yamada, T. See Pavone, V., 1595
Yamamoto, K. See Noda, Y., 217
Yamashita, T. See Torii, T., 101
Yang, C. F. See Wang, C. Y., 1027
Yeh, Y.
—; Feeney, R. E.; McKown, R. L.; Warren, G. J.: Measurement of Grain Growth in the Recrystallization of Rapidly Frozen Solutions of Antifreeze Glycoproteins, 1495

Yoshikawa, K. See Minagawa, K., 555
Yoshimizu, H. See Nagata, Y., 701
Young, J. K.
—; Anklin, C.; Hicks, R. P.: NMR and Molecular Modeling Investigations of the Neuropeptide Substance P in the Presence of 15 m*M* Sodium Dodecyl Sulfate Micelles, 1449
—; Hicks, R. P.: NMR and Molecular Modeling Investigations of the Neuropeptide Bradykinin in Three Different Solvent Systems: DMSO, 9 : 1 Dioxane/Water, and in the Presence of 7.4 m*M* Lyso Phosphatidylcholine Micelles, 611
Yui, T.
—; Kobayashi, H.; Kitamura, S.; Imada, K.: Conformational Analysis of Chitobiose and Chitosan, 203

Zaccaro, L. See Pavone, V., 1595
Zagari, A.
—; Palmer, K. A.; Gibson, K. D.; Némethy, G.; Scheraga, H. A.: The Effect of the L-Azetidine-2-Carboxylic Acid Residue on Protein Conformation. IV. Local Substitutions in the Collagen Triple Helix, 51
Zanotti, G. See Rossi, F., 273; Schievano, E., 879
Zecchini, G. P. See Torrini, I., 1, 1291
Zhang, C.-T. See Chou, K.-C., 143
Zhang, M.
—; Quinn, T. P.; Wong, T. C.: Solution Conformation of a Cyclic Neurokinin Antagonist: A NMR and Molecular Dynamics Study, 1165
Zhang, Q.-Z. See Wang, Z.-Y., 737
Zhang, S.
—; Lockshin, C.; Cook, R.; Rich, A.: Unusually Stable β-Sheet Formation in an Ionic Self-Complementary Oligopeptide, 663
Zhao, M.
—; Janda, L.; Nguyen, J.; Strekowski, L.; Wilson, W. D.: The Interaction of Substituted 2-Phenylquinoline Intercalators with Poly(A) · poly(U): Classical and Threading Intercalation Modes with RNA, 61
Zuliani, P. See Lunelli, L., 747

Biopolymers

Subject Index to Volume 34

A–B transition, 121
Abu guest residue, 1409
Acid–base titration curves, 889
Activation energy, 1495
Agarose, circular dichroism of, 1527
Agarose, conformation of, 1527
Agarose gels, 249
Agarose gels, electric birefringence of, 1259
Agarose gels, in pulsed electric fields, 187
Agarose gels, laser light scattering by, 371
Agarose gels, orientation of, 1259
Agarose gels, reversing field behavior of, 1259
Aggregates, 1339
Alginate aqueous solution, by addition of Ca(II), Cu(II), Mn(II), Co(II), 737
Alpha helix, nonlinear optical properties in the region of, 805
AM1, 941
Amide I overtone vibrations, and second harmonic generation (SHG) from, 805
Amino acid analysis, corrections for hydrolysis, 1681
Amino acid analysis, of peptide libraries, 1681
Amino acids, relative reaction rates, 1681
Amplitude of local angular motion, of purines in DNA in solution, 463
Amylose triacetate, 1477
Anisotropic ion self-diffusion, 1605
Anticoagulant thrombin, 1125
Antifreeze glycoprotein, 1495
Antiparallel α-pleated sheets, 1463
Antiviral activity, 599
apo protein, 879
Aqueous solution, 1395
Arabinan, 1433
Arabinofuranose, 1433
Arterial elastin, 393
Aspartic, 1065
Assignments, 1065
Azetidine-2-carboxylic acid, 51

Base tilt, 1469
Basic fatty acid binding protein, 879
Bent helix, 721
Beta-carrageenan gels, electric birefringence of, 1259
Biased reptation with fluctuations (BRF), 239, 249
Binding, 1231
Bioactive peptides, 273
Biologically-active peptides, association of, with helix bundle protein, 481
Biosurfactant, 975
Bis(cysteinyl)peptides, 1563
Blood group H, 1079
Bombolitins, 1535
Bradykinin, 869
Bradykinin antagonist, 869
Brownian dynamics simulation, 415
Buckling transitions, 565

^{13}C-Labeled oligodeoxyribonucleotides, 1175
^{13}C-labeled polysaccharide, 1327
C^{α}-modified residues, 841
$C^{\alpha,\alpha}$-disubstituted amino acids, 1595
Calcium localization, in crystalline regions of spider dragline silk, 1089
Carbohydrate, 11
Cartesian coordinates, 1669
Cation binding, 1359
CCAAT-containing octamer **1**, 1175
CCK-β agonists, conformational analysis, 155
CD, 869, 879
CD4, target protein for peptide mimic, 987
CD spectroscopy, 177, 273
CD studies, 963
Cecropin A-melittin hybrids, membrane activity of, 1251
Cell wall glucans, observation of, by solid state ^{13}C NMR, 1627
Cellulose triacetate, 1477
Chain generator matrices, 109
Change in mobility of side chains of, poly(L-lysine) with dansyl group, 101
Chemical shift, ^{1}H NMR chemical shifts and temperature coefficients for *cis* and *trans* proline isomers of a peptide antigen, 1221
Chemotactic peptide analog, 1
Chemotactic peptides, 1291
Chicken gizzard tropomyosin, denaturation of, 1659
Chicken gizzard tropomyosin, helix–coil transition of, 1659
Chicken gizzard tropomyosin, unfolding of, 1659
Chitobiose, conformational analysis, 203
Chitosan, conformational analysis, 203

Cholesterol, interaction of, with filipin, 447
Circular and linear dichroism studies of anthracene-9-carbonyl-N^1-spermine bound to poly(dG-dC)$_2$, 1583
Circular dichroism, 1115, 1123, 1563
Circular dichroism, of agarose, 1527
Circular dichroism spectra, 435
Circular dichroism studies, of Ca and Mg polygalacturonates, 1059
Circularization, of DNA in the presence of ethidium, theory of, 849
Cis and trans isomerization of proline, for a peptide antigen from *P. aeruginosa*, 1221
cis-trans isomerization, of Suc-Ala-Phe-Pro-Phe-pNA, 171
Coaxial cylinder, 443
Coiled coils, denaturation of, 1659
Coiled coils, helix–coil transition of, 1659
Coiled coils, unfolding of, 1659
Coil-globule transition of DNA in PEG solution, 555
Collagen, 51
Collagens, 1615
Collagen-water interactions, 1615
Collapsed DNA, 555
Comparison of Hoogsteen paired helix, with nucleic acid triple helix, 1573
Comp-Respect, ternary copper complex formation of, 701
Computer modeling, 75
Computer simulation, 347
Conformation, 11, 21, 337, 1037, 1563, 1595, 1647
Conformation, differences in, between *cis* and *trans* proline isomers of a peptide antigen, 1221
Conformational analysis, 1433
Conformational analysis, by molecular modeling, 987
Conformational analysis, by NMR spectroscopy, 987
Conformational analysis of peptides, 1115
Conformational degrees of freedom, 383
Conformational energy computation, 51
Conformational folding, 1359
Conformationally modulated electron transfer, 435
Conformational mimic of endothelin, 963
Conformational states, 347
Conformational study, by ^{1}H NMR, 647
Conformational study, of side-chain pyridyl groups, 701
Conformational transition, 75
Conformations, 1637
Consensus sequence, 1419
Control of polymer structure, 31
Cooperative energy effects, 841
Cooperativity, 673, 1001
Correlated spectroscopy, 1419
Counterion condensation (CC), 443
Counterions bound to DNA, 227
Coupling constants, 1327
Coupling constants, application as restraints in refinement calculations, 559
Crambin, 39
Cross-link formation, auto-cooperative binding, 737
Cross-link formation, complex formation, 737
Crosslinks, effects on coiled-coil unfolding, 1659
Crystal C, 721
Crystal-orbital quantum-chemical calculations, 921
Crystal structure of α, 1463
Curved DNA, 121
Cyclic cystinyl peptides, 1553
Cyclic hexapeptides, cyclo[Ala-dAla-Ser-Phe-Gly-Ser], 987
Cyclic hexapeptides, cyclo[Ala-Gly-Ser-Phe-Gly-Ser], 987
Cyclic lipopeptide, 975
Cyclic neurokinin antagonist, 1165
Cyclic peptide, 1125
Cyclic peptides, 1505, 1517
Cyclic pseudotetrapeptide, 403
Cystine-stabilized α-helix motif, 963

2D ^{1}H-NMR, 975
2-D ^{1}H NMR, conformational study of a peptide antigen by, 1221
2D NMR, 39
Deg residues, 1409
Dehydroalanine, 841
Dehydro-residue, 1243
Denaturant binding model, 261
Dental plaque formation, 1327
Design and synthesis of a model 16-peptide, 963
Design of helical motifs, 841
Deuterium, 1065
Deuterium quadrupolar relaxation, in DNA in solution, 463
Dielectric constant, 1311
Dielectric model and pH, dependence on, 529
Differential scanning calorimetry (DSC), 293
Dimensional reduction, 321
DINOSAUR, 39
Diprotonated deoxycytidine-5′-monophosphate, 921
Direct NOE refinement, 39
Disaccharides, 625
Discontinuous volume transitions, 209
Dissipative structure, 143
Dissociation of carboxy hemoglobin, 747
Distance geometry, 1125
Distance geometry methods, calculation of molecular conformation by, 489
DNA, 61, 1637
DNA branched junctions, 31
DNA, cation binding, 691
DNA chain statistics, 109, 121
DNA, circularization in the presence of ethidium, topoisomer ratio, ethidium binding, 849

DNA condensation, 285
DNA, contour length, 1349
DNA–drug complex, 599
DNA electrophoresis, 239, 249
DNA, electrophoretic mobility in gels, 239, 249
DNA equilibrium binding constant determination for anthracene-9-carbonyl-N^1-spermine with poly(dG-dC)$_2$ and poly(dA-dT)$_2$, 1583
DNA fibers, 1605
DNA in solution, amplitude of local angular motion of purines in, 463
DNA in solution, fluorescence polarization anisotropy of, 463
DNA in solution, rotational dynamics of, 463
DNA, interactions with magnesium ions, 691
DNA, intercalated, 1349
DNA intramolecular interaction, 415
DNA knots, 31
DNA, linear charge density, 1349
DNA, metal binding, 691
DNA solutions, dynamics, 1483
DNA solutions, thermomechanical stability, 1483
DNA structure, A-DNA, B-DNA, C-DNA, P-DNA, 897
DNA supercoiling, 415
DNA topoisomer preparation, 639
DNA topology, 31
Double-stranded poly(dA-dT), 299
Drug binding, 337
Drug-DNA interactions, 121
Dynamic instability, 143
Dynamic light scattering, 639, 747
Dynamic light scattering (DLS), 1339
Dynamics, 11

Effective Hamiltonian(s), 759
Elastic properties, 1543
Electric birefringence, of agarose gels in reversing electric fields, 1259
Electric birefringence, of beta-carrageenan gels, 1259
Electric birefringence, of polyacrylamide gels, 1259
Electron energy loss spectroscopy (EELS), of spider dragline silk, 1089
Electron microscopy, TEM images of protein films, 1049
Electron microscopy, used to characterize spider dragline silk microstructure, 1089
Electrostatic interactions, 747
Ellipticine, 599
Endoproteolytic cleavage, 1419
Energy minimization, 565, 1213
Ensemble dynamics, 559
Entropy, 799
Equimolar peptide mixtures, ratio of protected amino acids necessary, 1681
Ethanol-induced transitions, B–A transition, B–C transition, aggregation, 897
Ethidium, circularization of DNA in the presence of, topoisomer ratios in the presence of, binding to DNA, 849
Evaluation of helical fraction, from ^{1}H NMR chemical shifts, 647
Exclusive correlated spectroscopy (E-COSY) method, 1327

Fibronectin, incorporation of cell attachment sequence, 1049
Filipin, interaction of, with cholesterol, 447
First-order phase transition, 555
Flory–Huggins theory, and solute partitioning, 315
Fluorescence, 599
Fluorescence depolarization, on the assembly of helix bundle protein, 481
Fluorescence microscopy, 555
Fluorescence polarization anisotropy, of DNA in solution, 463
Fluorescence spectroscopy, 879
Force field, 1065
Force-field, 941
Formyltripeptide, crystal structure of, 1
For-Thp-Leu-Δ^zPhe-OMe (**2**), 1291
Fourier Raman spectroscopy, 957
Fourier transform infrared (FTIR) spectroscopy, 177, 293, 1303
Fourier transform infrared spectroscopy, 957
Fractals in biological materials, 1105
Free energy change, 347
Free energy simulation, 75
Free energy transduction, ΔT_t-mechanism of, 889
FTIR, 1469

G2′*p*5′*C*, 1637
Gangliosides, 1311
Gel beads, 209
Gel electrophoresis, 1349
Gellan gels, laser light scattering by, 371
Gels, 1303
Genetically engineered protein, created by recombinant modification of *E. Coli*, 1049
Gentiobiose, 625
G-G pairing, 1187
Globule proteins analysis, observation of bound water in aqueous solution by, 357
Glucans, direct observation of, in intact cells of *Saccharomyces cerevisiae*, 1627
Glutathione, γ-glutamyl-cysteinyl-glycine, γ-glu-cys-gly (GSH), vibrational analysis, 1377
Glycinin gels, 1303

Glycoinositolphospholipid, 1155
Glycoprotein, 11
GM1 ganglioside, 1311
Gonadotropin releasing hormone (GnRH), 815
Grain growth, 1495
GTP ⇒ GDP, 143
Guanine tetrad, 1187
Guanine tetraplex, 1187

$^{1}H/^{31}P/^{13}C/^{113}Cd$-nmr spectroscopy, 1359
^{1}H and ^{31}P NMR spectroscopy, conformational folding of phosphophoryn determined by, 507
^{1}H-NMR, 599
^{1}H nuclear magnetic resonance spectroscopy (NMR), 457
Hairpin dimers, 1187
Head-to-tail assembly, 143
Heat denaturation, melting, helix-coil transition, no salt effect, 897
Helical conformation of antibiotic peptides, membrane induction of, 1251
Helical conformations, 841
Helix bundle, formation of assembly with, 481
Helix coil transition, in salt free solutions, calorimetric studies of, 1275
Helix–coil transition, in coiled coils, 1659
Helix–coil transition, in tropomyosin, 1659
Helix nucleation, 969
Helix signals in peptides, 647
Helix structure, 1477
3_{10}-Helix to α-helix transition, 75
Helmholtz free energy F, 815
Hirudin, 1125
HIV-1 integrase, 1027
Homopentapeptide, 1409
Human adenovirus, 1175
Human CD4 protein, 1145
Hydration, 541
Hydration, apolar–polar repulsive free energy of, 889
Hydration, hydrophobic (apolar), 889
Hydration study, 1543, 1543
Hydrodynamic radius, effect of DNA concentration on, 463
Hydrodynamic radius, of DNA in solution, 463
Hydrodynamics, 415
Hydrophobic effect, role of, in protein structure generation, 489

Ice recrystallization, 1495
Immunoglobulin-like hypervariable loops, 1669
Including fluctuations, 239
Indole alkaloid, 599
Indolo–quinoxaline, 599
Induced CD, by copper complex formation, 701
Infrared, 1065
Infrared (IR) spectroscopy, 273
Infrared spectroscopy, 1115
In-situ lyophilization of proteins, detection by infrared, 365
Interaction between substituents, 1477
Interactions between arterial elastin and small ions, as measured by microcalorimetry, 393
Intercalated DNA, 1349
Intercalation, 61, 599
Intermediate states of proteins, 261
Internal reflectance, low-temperature infrared, 365
Ion exchange, 209
Ion passage, 721
Ionic self-complementary oligopeptide, 663
Ionophores, channel formers, 1007
IR-spectroscopy, 1563
Ising model, 673
Isolated nicotinic receptor M2 helices, 1647
Isomaltose, 625

Kinetics, 415
Kink, 143

L-aspartyl dipeptides, 1037
L-leucyl-L-leucine, 1139
Langrangian molecular dynamics (MD), 383
Left-handed helix, 1123
Leishmania major, 1155
Leucine zipper motif, 1027
Light absorption, 599
Light scattering, studies of polyene antibiotics by, 447
Li-hyaluronate, 1543
Linear dichroism, 1469
Linear extrapolation model, 261
Linear peptides, detection of β-turns, 177
Lineshape analysis, models for exchange, 691
Lineshape analysis, temperature dependence, 691
Lipophosphoglycan, 1155
Local angular motion of purines, in DNA in solution, amplitude of, 463
Local states method: analogues of, 815
Loop conformation, 1187
Low-temperature infrared, 365
Lyophilization studies of lysozyme, detection by infrared, 365
Lysozyme, 957

Macromolecule(s), 759
Macromolecules, 673
Magnesium-25, co-ion effects, 691
Magnesium-25, interactions with DNA, 691
Magnesium-25, NMR relaxation rates of, 691
Mea residue, 75
Measurements of rheological properties, shear-thinning, 737
Measurements of rheological properties, thixotropy, 737
Mechanochemical method, 897
Melting profile, 1123
Membrane models, 611, 1449
Membrane transport, channel formers, modeling, 1007

Metal binding to DNA, NMR studies of, 691
Methyl-2-*O*-(α-D-mannopyranosyl)-α-D-mannopyranoside, optical rotation, 1403
Methyl-3-*O*-(α-D-mannopyranosyl)-α-D-mannopyranoside, optical rotation, 1395
Microstructure, of spider dragline silk, 1089
Microwave dielectric study, using TDR method, 357
MM3 and conformational analysis, 625
MNDO, 1065
Modeling, 337
Models for exchange, for ion-binding to DNA, 691
Models for exchange, for quadrupolar nuclei, 691
Molecular dynamics, 21, 347, 565, 987, 1027, 1079, 1155
Molecular dynamics calculations, on uteroglobin fragments, 773
Molecular dynamics calculations, with time-averaged restrains, 773
Molecular dynamics (MD), 155, 1145, 1165, 1647
Molecular dynamics (MD) analysis, 273
Molecular dynamics (MD) stimulation, 457
Molecular dynamics simulations, 1213
Molecular interactions, 1001
Molecular mechanics, 203, 625, 941
Molecular modeling, 1311, 1449
Molecular modelling, 975
Molecular simulations, crystal structure of silk, 1049
Monodisperse aggregates, 1339
Monte Carlo (MC) calculations, 227
Monte Carlo procedures, 1669
Monte Carlo simulated annealing, 529
Monte-Carlo simulation, 639
Multiple components, 321

Na-hyaluronate, 1543
Nitrogen-15, 1065
NMR, 1125, 1155
NMR relaxation rates, co-ion dependence, 691
NMR relaxation rates, field dependence of magnesium-25, 691
NMR spectroscopy, 21, 171, 273, 709, 869, 1433
NMR studies, 963
NOE simulation, 1125
NOESY, 1079, 1477
Nonlinear dynamics, 143
Normal coordinate, 1065
Normal mode(s), 759
Normal mode analysis, 321, 1377
Nuclear magnetic resonance, calculation of ensembles, 559
Nuclear magnetic resonance, ensemble averages, 559
Nuclear magnetic resonance (NMR), 1165, 1605, 1615
Nuclear magnetic resonance, structure refinement, coupling constants restraints, 559
Nuclear magnetic resonance, structure refinement, distance driven dynamics, 559
Nuclear magnetic resonance, structure refinement, NOE restraints, 559
Nuclear magnetic resonance studies, of uteroglobin fragments, 773
Nuclear Overhauser effect (NOE) spectroscopy, 1419
2′,5′-nucleic acids, 1637
Nucleic acid photoconductivity, 921
Nucleic acid semiconductivity, 921
Nucleic acids, 337
Nucleic bases, 941

Oligoglycines, 541
Oligonucleotide–drug complex, 599
Oligopeptides, 663
Oligosaccharide, 11, 21, 1079
Optical polarizabilities, 1543
Optical properties, 1543
Optical rotation, 1395
Orientation, of agarose gels in reversing electric fields, 1259
Oriented DNA, 1605
Osmolyte, 1015
Overlap concentration of PEG, 555
Oxidation, 1563

PAQMD, 941
Parallel DNA double helix, containing pseudorotational symmetry, 1573
Parallel nucleic acid helices, molecular structures of, 1573
Parallel RNA double helix, containing screw symmetry, 1573
Parametrization, 941
Partial molar adiabatic compressibility, 541
Partial molar expansibility, 541
Partial molar volume, 541
Partitioning of solutes, treatment of by Flory–Huggins theory, 315
Pectic acid fragment, 457
PEG, 555
Pentapeptides, 217
Peptide antigen, 2-D NMR study of conformational differences between cis and trans proline isomers of, 1221
Peptide conformation, 75, 1243
Peptide conformation in solution, 869
Peptide design, 1243
Peptide libraries, amino acid analysis of, 1681
Peptide libraries, equimolarity of, 1681
Peptide secondary structure, 611, 1449
Peptide structure, 1139
Peptide synthesis, 1553
Peptides, 969, 1409
PGSE (pulsed field gradient spin-echo), 1605

pH, 293
pH titration studies, of Asp- and phosphoserine-containing polyelectrolyte proteins, 507
Phase transition, 555
Phase transitions, 1543
Phosphophoryn, 1359
Phosphophoryn, pH folding effects and structural organization, 507
Photoinduced electron transfer, 435
Photon correlation spectroscopy, gellan and agarose gels, 371
Photophysics of biomimetic systems, 435
Photophysics of porphyrin–naphthalene pairs, 435
Pilus, 2-D NMR study of C-terminal fragment of *Pseudomonas aeruginosa*, 1221
Point defects, 1409
Point mutation, 1145
Poisson–Boltzmann (PB) calculations, 227
Poisson–Boltzmann (PB) methodology, 443
Poly(I) and poly(G), self-association and ribose conformation, 91
Poly-L-lysine, 1123
Poly(L-lysine) carrying donor–acceptor pairs, 435
Poly-L-proline II, 1123
PolyA.polyU, 61
Polyacrylamide gels, electric birefringence of, 1259
PolydA.polydT, 61
Polydisaccharide, 1543
Polyelectrolyte behavior, of Ca and Mg polygalacturonates, 1059
Polyelectrolyte theory, 1605
Polyelectrolyte theory, the Poisson–Boltzmann cylindrical cell model, 897
Polyene antibiotics, aggregation of, 447
Polyethylene glycol, 555
Polygalacturonic acid, interactions with magnesium and calcium ions, 1059
Polyion–small ions interactions, Na- and Li-DNA, 1275
Polymer, elastic protein-based, 889
Polynucleotide conformations, an infrared study, 1105
Polypeptide, 347
Polypeptide conformation, 51
Polypeptide, containing side-chain pyridyl ligands, copper complex formation of, 701
Polyribonucleotides, 1099
Porcine phospholipase A_2, fragments of, 647
Pore-lining M2 helix, of nicotinic acetylcholine receptor, 1647
Porphyrin–naphthalene pairs bound to poly(L-lysine), 435
Porphyrins, 1099
Potential energy surface, 1395, 1403
Potential of mean force, 75
Preferential interaction, 1015
Product distribution, 1563
Protein composition, and condensation of DNA, 285
Protein crystallites, in spider dragline silk, 1089
Protein-denaturant interaction, 261
Protein folding, 969
Protein folding, theoretical study of, 489
Protein polymer, modeled on silk and fibronectin, 1049
Protein–protein interfaces, 933
Protein stabilization during lyophilization, 365
Protein trehalose interactions, 957
Pseudomonas aeruginosa, 2-D NMR study of a peptide antigen from the receptor binding domain of, 1221
Pseudorotation dynamics, 383
Pseudo type II β-turn, 1517
Pulsed field gel electrophoresis (PFGE), 187
Purines, amplitude of local angular motion in DNA in solution, 463

Q-methylhomoserine, as methionine mimicking residue, 1
Quadrupolar nuclei, 1605
Quadrupolar nuclei, NMR of, 691
Quenching of excited naphthalene, 435

Racemization, 1553
Raman, 1065
Raman and infrared spectra of, polyinosinic acid and polyguanylic acid in aqueous solution, 91
Reaction pathway, 347
Reaction rates, relative, 1681
Receptor selectivity, 1231
Recombinant amelogenins, 1339
Recrystallization inhibition, 1495
Redox-active bis-cysteinyl peptides, 1553
Residue clustering, 321
Restrained molecular dynamics, 39
Retro-bombolitin I, 1535
Reversing electric fields, orientation of agarose gels in, 1259
RNA, 61, 1637
Rotational dynamics of DNA in solution, 463
RXVRG endoprotease, 1419

Saccharomyces cerevisiae, 679
Saccharomyces cerevisiae, 709
Scanning microcalorimetry, 1123
Selectin, 21
Sequence replacement studies, 1145
Shape complementarity, 933
Sialic acid, 11
Side-chain regularity, 1409
Silk, crystal structure and morphology of a silk-like polypeptide, 1049

Simulated annealing, 611, 987, 1449
Single-crystal X-ray diffraction of α, 1463
Small ions, 393
Sodium binding, 1311
Sodium dodecyl sulfate micelles, conformational effects on uteroglobin fragments, 773
Sol–gel transition, induced by divalent caitons, 737
Sol–gel transition, of ionic polysaccharides, 737
Solid state NMR, observation of cell wall glucans by, 1627
Solitary wave, 143
Solute partitioning, treatment of by Flory–Huggins theory, 315
Solutions and thin films, of alpha helix biopolymers, 805
Solvation, 1015
Solvent denaturation, 1015
Spectroscopic study of a DNA binding ligand in the DNA region of the spectrum, 1583
Spermine/DNA interactions studied using a model compound, anthracene-9-carbonyl-N^1 spermine, 1583
Spider dragline silk, microstructural characterization by analytical transmission electron microscopy, 1089
Stable β-sheet structure, 663
STE2 receptor protein, 679
Steady-state fluorescence spectra, 435
Streptococcus mitis J22, 1327
Structure, 1637
Studied with fluorescence depolarization method, in accordance with coil-to-helix transition or, aggregation of poly(L-lysine), due to the neutralization of charged side chain of poly(L-lysine), 101
Substance P, 1449
Succinylation of peptides, changes in helicity and activity induced by, 1251
Supercoiled DNA, 565, 799
Supercoiling energy, 799
Superhelical DNA, 639
Surface complementarity, 933
Surfactant micelles, 1535
Surfactin, 975
Sweetness, 1037
Symmetry principles, in nucleic acids, 1573
synthesis, conformation and activity of, 1
Synthetic helical peptide, 529

Tachykinins, 1449
Telomeric DNA, 1187
Tetramer, dimer and monomer equilibrium in hemoglobin, 747
Theory, of ethidium binding to DNA, of topoisomer ratios in the presence of ethidium, 849
Thermal melting, 61
Thermally activated barrier for scission (TABS) theory, 1483
Thermodynamics, 171, 1001
Threading intercalation, 61
Thymine tetrad, 1187
Thymine–thymine pair, 1187
Time decay fluorescence experiments, 435
TIP, δ opioid peptide antagonist, 1213
Transferred NOE, 1125
Transient absorption spectra, 435
Transient electric birefringence, 187
Translational diffusion, 1079
Trehalose, 957
Tripeptide, D,L-alternating, 1463
Triple helix, 51
Tropomyosin, chicken gizzard, 1659
Tropomyosin, denaturation of, 1659
Tropomyosin, helix–coil transition in, 1659
Tropomyosin, unfolding of, 1659
Trypsin digestion, 217
Two-dimensional (2D) NMR spectroscopy, 155
Two-dimensional NMR, 611, 1449
Two-dimensional NMR spectroscopy, 1419
Type I β-turn conformation, 1291
Type VI β turn, 869

Ultraviolet absorption, 1543
Umbrella sampling, 347
Undecapeptide, 1419
Unfolded lysozyme, 217
Unidirectional electric fields, 187
Unusual side-chain conformation, 1139
Urethane linkage, 403
Uteroglobin, fragments of, conformation of, 773

Vacuum-uv CD spectra, of x-form of double-stranded poly(dA-dT), 299
Vibrational circular dichroism, 1115
Vibrational Raman optical activity, studies of alanyl oligopeptide conformation in H_2O and D_2O solution as a function of pH and pD by, 303
Vibrational spectroscopy, conformation of DNA, 1105
Virtual bond models, 109

Water-soluble porphyrins, 1099
Wet spinning method, 1605
Wet spinning method, DNA fibers, 897
Wet spinning method, oriented DNA, 897

Xanthan, persistence length of, 783
Xanthan, secondary structure in solution, 783
Xanthan, static light scattering by aqueous solutions of, 783

Xanthan, temperature-induced dissociation, 783
Xenopus laevis skin, 1419
X-form DNA, 1469
X-ray analysis, 1139
X-ray crystal structure, cyclo(Pro-Gly)3: LiSCN complex, 1007
X-ray diffraction techniques, 273
X-ray structure, 1243, 1595

α-aminoisobutyric acid, 841
α-factor, 709
α-factor receptor protein, 679
α-helical assembly, formation by biologically-active peptides, 481
α-Helical cyclic peptides, 1231
α-helix folding, 529
α-helix stability, 647
α-Helix, β-turn and extended structure, 963
β-Alanine, 1505, 1517
β-bend, 403
β-Conglycinin gels, 1303
β-Conglycinin gels at acidic pH, 293
β-sheet structure, 663
β-spiral structure, 889
β-Turns, 177
δ Opioid peptide antagonist, conformational comparison with naltrindole, 1213
δ Opioid peptide antagonist, receptor-bound conformation of, 1213
δ Opioid peptide antagonist, theoretical conformational analysis of, 1213
κ-Opioid receptor, 1231
μ Opioid peptide agonist, theoretical conformational analysis of, 1213